

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Swagelok Company</u>	
MANUFACTURERS ADDRESS: <u>29500 Solon Road, Solon, Ohio 44139 USA</u>	
PLANT LOCATIONS: <u>Headquarters: 29500 Solon Road, Solon, Ohio 44139 USA (See Attachment A)</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p><input checked="" type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over-pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting AECB or ASME requirements)</p>	TITLE OF THE STANDARD OF CONSTRUCTION <u>ASME B31.1 and ASME B31.3 (for unlisted components)</u>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
<h1>Swagelok</h1>	
TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: <u>ISO 9001:2008 Quality System Certificate, Support Documents, Attachment B, Catalog Information, Attachment A</u>	

DECLARATION:

I, David H. Peace (SEE NOTE 3) employed by Swagelok Company and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by The British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]


Declared before me at Solon, Ohio

This 11th day of September AD 2015

Commissioner of Oaths
or Notary Public: (sign) [Signature]
(Affix Official seal to the right)

USE THIS SPACE FOR OFFICIAL SEAL

Jamie L. Ritzau
Resident Portage County
Notary Public, State of Ohio
My Commission Expires 02/04/2019



This space for Regulatory Authority use.
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0F18289.5

FI#: 1214

Notes:
1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

ACCEPTED
PROVINCE OF PRINCE EDWARD ISLAND
COMMUNITIES, LAND & ENVIRONMENT

C.R.N. 0F18289.59

DATE: May 20/16

INSPECTION SERVICES SECTION
BOILER/PRESSURE VESSEL BRANCH

Attachment B. Scope of Registration for Swagelok PTX Series Digital Pressure and Temperature Transducers (Category F)

Product Scope

This document represents the scope of Swagelok PTX Series Digital Pressure and Temperature Transducers covered by this submission for CRN approval. The Swagelok PTX Series Digital Pressure and Temperature Transducers were designed and evaluated in accordance with ASME B31.1 for unlisted components and ASME B31.3 for unlisted components.

Summary Table

Product Description or Series	Main Pressure Bearing Component	Material	Port Connections and Sizes	Maximum Allowable Working Pressure (psig)		Design Code of Construction
				At 70°F	At 158°F	
PTX G050 Model Full Scale Range 0 to 50 psig (3.4 bar)	Body	Stainless Steel (ASTM A479 UNS S31600)	1.5 in. Swagelok MPC modular surface mount in accordance with ANSI/ISA 76.00.02 1/4 in. Swagelok tube fittings 6 mm Swagelok Tube Fittings	50	50	ASME B31.1 (Unlisted Components and ASME B31.3 (Unlisted Components)
PTX G250 Model Full Scale Range 0 to 250 psig (17.2 bar)	Body	Stainless Steel (ASTM A479 UNS S31600)	1.5 in. Swagelok MPC modular surface mount in accordance with ANSI/ISA 76.00.02 1/4 in. Swagelok tube fittings 6 mm Swagelok Tube Fittings	250	250	ASME B31.1 (Unlisted Components and ASME B31.3 (Unlisted Components)
PTX G500 Model Full Scale Range 0 to 500 psig (34.4 bar)	Body	Stainless Steel (ASTM A479 UNS S31600)	1.5 in. Swagelok MPC modular surface mount in accordance with ANSI/ISA 76.00.02 1/4 in. Swagelok tube fittings 6 mm Swagelok Tube Fittings	500	500	ASME B31.1 (Unlisted Components and ASME B31.3 (Unlisted Components)

Product Illustration



Quality System

The Swagelok Company quality system complies with the requirements of BS EN ISO 9001:2008. The Swagelok Company maintains British Standards Institution Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate. The Swagelok Digital Pressure and Temperature Transducers are manufactured at a Swagelok Company locations in Solon, Ohio.

References

The product catalog does not represent the full scope of registration, but rather details some of the most common options.

- Swagelok Intrinsically Safe Pressure and Temperature Transducers MS-02-475
- Swagelok Digital Pressure and Temperature Transducers MS-02-434